



Domoic Acid Tests from Crescent City - Morro Bay - Progress Toward 2 Safe Tests

as of January 22, 2016

Sample from a location = 6 crab

Ports North to South (Location)	Test Date - 1st Round Below <30ppm Alert Level	Test Date - 2nd Round Below <30ppm Alert Level	Two Consecutive Rounds of Negative Tests	Latest Results Range ppm	Latest Percent of Sample Above Alert Level	Latest Sample Date	Recent Sample Collection Date
Crescent City North (St George Reef)			No	4.9-49	17%	10-Jan	25-Jan
Crescent City South (Klamath River)			No	12-59	33%	10-Jan	25-Jan
Trinidad North (Lagoons)			No	<2.5-49	17%	26-Dec	25-Jan
Trinidad South (Trinidad Head)			No	7.4-38	17%	26-Dec	25-Jan
Eureka North (Samoa)			No	3.7-33	17%	30-Dec	25-Jan
Eureka South (Eel River)			No	16-40	67%	30-Dec	25-Jan
Fort Bragg North (Usal)			No	7.8-64	33%	30-Dec	25-Jan
Fort Bragg South (Manchester)			No	15-39	33%	27-Dec	25-Jan
Bodega Bay (Salt Point)	December 30, 2015		No	11-29	0%	30-Dec	25-Jan
Bodega Bay North (Russian River)			No	3.1-30	17%	30-Dec	25-Jan
Bodega Bay (Bodega Head)			No	<2.5-54	17%	30-Dec	25-Jan
Bodega Bay South (Point Reyes)	December 8, 2015	December 17, 2015	Yes	<2.5-20	0%	17-Dec	
San Francisco North (Duxbury Reef)	November 16, 2015	November 21, 2015	Yes	<2.5-19	0%	1-Dec	
San Francisco South (East of Farallones)	December 27, 2015		No	6.2-25	0%	27-Dec	
Half Moon Bay North (Pillar Point)			No	6.2-54	14%	10-Jan	26-Jan
Half Moon Bay South (Pigeon Point)	January 15, 2016		No	<2.5-25	0%	15-Jan	25-Jan
Monterey Dungeness crab (Monterey)	December 6, 2015	January 12, 2016	Yes	<2.5-3.8	0%	12-Dec	
Monterey Rock Crab (Monterey)	January 10, 2016		No	<2.5-25	0%	10-Jan	22-Jan
Morro Bay Dungeness crab (Avila)	November 16, 2015	November 21, 2015	Yes	<2.5-8.1	0%	21-Nov	
Morro Bay Rock crab (Avila)	November 16, 2015	November 21, 2015	Yes	<2.5-7.7	0%	21-Nov	





2015-16 Monterey and Morro Bays Dungeness and Rock crabs Domoic Acid Sampling Percent of Crabs ≥ 30 ppm Alert Level

